



ACQUAVIVA INDIA PVT. LTD.
www.acqua-viva.in

B-12, SECTOR - 80, PHASE - II, GAUTAM BUDDH NAGAR, NOIDA, (U.P.) INDIA
Email: info@acquaviva.in

ACQUAVIVA

water civilisation


Relaxation
has Found its
ultimate expression

SPA & SWIM SPA

SPA Catalogue

50 Years of water civilization

LUXURY
YOU CAN
RELY
ON



www.acqua-viva.de

Acqua-viva started its journey from the inception of the brand DRIPLESS. With a vision to be a global leader of complete bathing solutions, we value customer expectations that inspire us to develop products that delight the customers. Since its inception, Acquaviva has diversified into various verticals like sanitary ware, wellness products, and faucets. It has been at the forefront of developing European technologies to adapt with Indian Plumbing system in the past 5 decades. As a one window solution, Acquaviva offers high quality products, design consultancy and post customer care. Functional and practical design for Indian market is what makes Acquaviva a leader in this segment.

Exclusive designs, latest technology & customized solution as per customer own requirement. Acquaviva has made its position in the market by creating a satisfied customer base with its innovations.

Our aim is to offer most advanced & safe technologies to provide the best customer appearance.

Acquaviva's products provide a great experience with their high quality and high performance. Our in-house award winning design team is well integrated in its approach and helps to produce worldclass bath solutions. Our state-of-the art manufacturing units are backed by a world class testing lab. That's why Acquaviva bathing solutions conform to the highest quality and regulatory standards. Acquaviva's passion for perfection reflects in the 10 years of warranty it extends on its bath fittings.



In five minutes you will lose yourself, Twenty minutes later you'll put the world all behind you.

The Famous American Author Mark Twain

SCIENTIFIC LAYOUT AND EXQUISITE ASSEMBLY TECHNOLOGY



● Base

The base is a sealed bottom which install on the spa bottom. With a solid sealed fiberglass forever floor(Or ABS floor), it can stop insects and pests, damp and long-term structural problems. It also allows the spa(hot tub) to be placed anywhere that's level (without any ground preparation) giving total portability.

METALLIC STRUCTURE

All Aquaviva spas are equipped with a robust metal structure(#304 stainless steel) that prolongs their service life. Given a rustproof treatment, this metal structure not only supports the weight of a spa over the years but is also able to withstand humid environments and resist the passage of time, even if installed outdoors.



● Power line Layout

The Strong and weak electricity are isolated to make sure the SPA is 100% safe.
Also all weak electrical elements are installed on the integrated plate for easier maintenance.



● Air blower(option)

Spa Air Blower feature revolutionary turbo design for more air output using less power. Silent air motor runs cool and quiet.

As an added feature, all AquavivaSpas can be equipped with Therapy Air also come with a fully integrated aromatherapy system that introduces fragrance directly into the spa! The power of natural scent both refreshes and relaxes, complimenting a totally therapeutic soak.



● Water massage pump

Perfect match with Aquaviva SPA & swim spas.

Large flow volute design with 2inch inlet and outlet. And 4 locations available for pump housing installation.

Single phase motor installation T1 thermal protector.

Motor adopts high temperature resistant bearing that be long life, reliable and durable.

Liquid absolutely separate with shaft to keep safer and more reliable.

Insulation class F, protection IP×5.

CE, TUV, SAA, KC, ETL certification approval.



● Circulation pump

We choose the high quality, long-life, extremely quiet circulation pump. This pump is rated for continuous duty operation, features an integrated mounting bracket;




MASSAGE DESIGNED FOR EACH PART OF YOUR BODY



THERAPY FOR BODY AND SOUL

Ergonomically designed using therapeutic principles, each spa fits the contours of your body providing proper lumbar support and maximizing comfort while the jets melt away stress and muscle strain. When you are in the Spa, many points on your body will experience the wonderful effects of water massage. Extraordinary comfort will come to your entire body.



Neck Massage



Our exclusive reverse molded neck jet seat features a ledge with specially designed jets that are trained downward putting your neck and shoulders under the jets for the ultimate tension-relieving massage. Simply put, it's Stress Relief for the areas that need it the most.

Foot massage



Foot massage help soothe muscle and joint pain. This type of massage gives a pleasant, relaxing feeling, and helps you get a good night's sleep.

Leg massage



The lounge offers a water massage pattern special for leg muscles, which could effective ease soreness, pain or discomfort.

Direct massage




The direct-jets offer high pressure water massage. The water gives a continuous high pressure massage on any part of the body you choose to relieve aches and pains.

Rotating massage



Impact-based water massage. It also gives a lipo active and firming massage of the body in beauty treatments.

water massage jets with LED




We offer optional premium water massage jets with LED. It greatly enhance the chromotherapy. It makes your spa look stunning as the water can be made to appear any colour under the sun.

SUNRANS PROVIDE MULTIPLE HEAT PRESERVATION SOLUTION

The spa equipment is oriented so that any heat generated is recycled, keeping the spa water warm. You'll save money because heat and electricity are conserved.

Spa Cover

We offer an insulating hard cover to keep the heat in and save on utility bills. Our built-to-last spa covers are constructed with heavy-duty marine grade vinyl, high-density foam and Heavy aluminium alloy frame reinforcement.



LONGEVITY&INSULATION FEATURES

A.Heavy aluminium alloy frame reinforcement-prevents cover sagging

B.6 Mil ZEROTex moisture barrier-maintains core R-value

C.Premium aquatic-grade insulation-for maximum heat retention and strength

D.Heavy-duty windstraps(no extra charge)-secure cover & prevent heat leakage



Skirt insulation

Reflective foil-backed foam panels keep warm air circulating inside the spa cabinet similar to the insulation in your attic. Without the messy spray foam, you can easily access the internal components of your hot tub.




Pipe insulation



Base insulation

The base of the spa, (ABS Base Pan), boosts energy efficiency by minimizing contact with the ground preventing moisture wicking.



Shell insulation



CHROMO-THERAPY



Putting Spa Therapy In A Whole New Light

A SPA can help you unwind, relax, and even help you sleep. The heat expands blood vessels, improves circulation, and reduces pain. The addition of hydromassage (the massaging pressure from the jets) can relieve muscle tension and help you de-stress even more. Immersing yourself in a hot tub for even 10 minutes has plenty of benefits.




Our optional LED lighting package is an industry first. Brighter and more reliable than fiber optic, LED lighting is now used in vehicle taillights and traffic signals and will last up to 10 years. ACQUAVIVASpas really shine at night with our underwater lighting. The jets, waterfall, fountains, water regulator and more. At the touch of a button, flood your tub with color and create the perfect atmosphere for a night-time soak.



AUDIO BLUETOOTH SOUND SYSTEM

All of our portable spas & Swim Spas can be equipped with a full sound system.



SCIENCE & TECHNOLOGY .FASHION. HEALTHY. INTELLIGENCE.

The premium sound system option features Bluetooth streaming audio, two full range marine grade high fidelity speakers a powerful hidden subwoofer and 150W audio amplifier with variable crossover. Just pair your smart phone to stream music wirelessly.



SMART CONTROL COLLECTION

All Aquaviva SPAs are equipped with Balboa control system from economic models to high-end models like TP800 or Touch panel. Also you can choose to update the system to Smartphone control then you can access the control system of your spa anytime from anywhere with your Smartphone.

iPhone and iPad are registered trademarks of Apple Inc.
Android is a trademark of Google Inc.



bwa CONTROL YOUR TUB
Anytime Anywhere Anyplace

CONTROL YOUR SPA


- In Your Backyard
- In Your House
- In Your Office
- Any Wi-Fi Hotspot
- Any 3G/4G Data Network

bwa | BALBOA WORLDWIDE APP




INTERNATIONAL
CERTIFICATION
ISO 9001

RoHS
Compliant



AIR THERAPY & AROMATHERAPY



Our Air Therapy is designed to enhance your massage experience. Air is circulated through the water giving a gentler massage. As an added feature, all Aquaviva Spas can be equipped with Air Therapy also come with a fully integrated aromatherapy system that introduces fragrance directly into the spa. The power of natural scent both refreshes and relaxes complimenting a totally therapeutic soak.

SELF-CLEANING SYSTEM

We use the best polyester filtration media that money can buy. The result is longer filter life and better water quality. In fact, you can expect up to 30% better filtration than some other brands which may look about the same, but use cheap filter media. An added bonus:

Our sharp pleat folds increase water flow rates while making cartridge cleaning easier.

NOTE: A sanitizer is still required to maintain spa water quality.

Antimicrobial End Caps & Premium Center Cores

Clarathon's reinforced end caps feature Antimicrobial protection from bacteria and mold. This protection greatly prolongs the life of the cartridge structure and works to inhibit odor and filter clogging, for a healthier filtration system.



*find your filter
fast*

IN CLEAR
water so clear.

Features

Stress therapy:

benefits from relaxing and unwinding in clear, clean, soft and warm spa water.

Body therapy:

liquid massages and in-spa stretching for sore muscle relief

Healthy habit:

clear, clean, soft and warm spa water contributes positively to your health

Thermal workout:

a healthy bathing experience every time you use your spa

Sleep therapy:

nightly soakings improve the quality of your sleep

Skin therapy:

through natural cleansing of spa massages



Automatic generation of bromine

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.



Free of harsh chemicals

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.



Easy adjuster(maintenance mode)

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.



Automatic generation of bromine

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.




Automatic generation of bromine

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.



Easy adjuster(maintenance mode)

Water stays clean even if spa is not used for weeks.
Adjusts to circulation and filtration
activation times and shut offs.



CIRCULATION DISINFECTION SYSTEM




UV Sterilizer

Ultraviolet disinfection system can sterilize water in an effective and efficient way. Heating and addition of harmful chemicals do not needed. There is no abnormal flavor in the water after treatment. Different from Chlorine, Chlorine Dioxide, Ozone, and other chemical disinfection, ultraviolet disinfection is a physical process.

The advantages of the ultraviolet:


1. Ultraviolet disinfection technology is very effective in destroying bacteria.
2. Efficient disinfection
3. No secondary pollution
4. Low operational costs, simple operation and maintenance, and low costs.



Ozone Premium



Spa Ozone System



Ozone Standard

This ozonator is the best product you'll find for cleaning your spa and keeping it fresh day after day. The Spa Ozonator utilizes a Corona Discharge micro-ozone cell which is as close to nature's way of keeping your residential spa clean. Our proven ozone technology effectively removes water impurities and microorganisms, reduced chemical usage and requires less maintenance. Your skin will feel soft, clean and free of harsh chemicals the immediate changes and significant benefits include green technology.

Ozone Premium

You may update the standard Ozone to Premium Aqua Sun Ozone. Aqua Sun Ozone's Corona Discharge micro-ozone cell provides consistent ozone output with less heat, less energy usage and less nitric acid. There are no cartridges chips or bulbs to replace and it's great for our environment...you're going to love it!

MicroSilk® Oxygen Therapy

Use MicroSilk® for just 20 minutes a day to make you feel better and look younger.

MicroSilk® is a new patented Hydrotherapy that rejuvenates your body and skin, making you look younger and feel better. The gentle effervescent sensation and silky feel of the water are signs that your body is benefiting from the super saturated water with billions of oxygen-rich micro bubbles. These micro-bubbles, increase oxygen levels in the water and blankets your body, energizing skin cells, stimulating the immune system and collagen production killing bacteria and promoting healing.

Rejuvenate yourself with MicroSilk® – Hydrate your body, . Plump your skin, Reduce fine lines and wrinkles.



Timeless Beauty
MicroSilk® for spas

Timeless Beauty

MicroSilk® for spas
EXCLUSIVELY FROM BALBOA



Features

SMOOTH YOUR SKIN

Using MicroSilk® is like giving your entire body a trendy oxygen facial, moisturizing and hydrating at the same time. Plumping your skin, making it smoother.

STAY YOUNG. REDUCE WRINKLES

The MicroSilk® bubbles, makes your skin feel luxuriously silky as well as reducing fine lines and wrinkles.

RELAXING, SOOTHING SENSATIONS.

MicroSilk® Micro-bubbles literally envelope your body in a soothing, effervescent cloud of oxygen which results in better circulation and cellular respiration; that makes your body feel glowing and radiant due to better

ENHANCE COLLAGEN PRODUCTION.

MicroSilk® increases the levels of oxygen in the water which is good for your skin. Oxygen is known to stimulate natural collagen production, Nature's own anti-aging cream.

POOL

*Relax
Slowly
Life*

When the demands of your everyday working and private life get in the way of health and relaxation, there is little time to find a healthy balance.

The calming effect of warm water helps you to fall asleep at night.



Endless Swim Pool Spa

Welcome You to the World of Ultimate Relaxation

SR-859 SPECIFICATION
Size:8100x2200x1400MM

SPA part	Swimming part
Seating Capacity: 6 Persons	Seating Capacity: 0
Lounge: 4 Person	PersonsLounges: 2 Persons
Dimensions/Weight/ Container load	
Product dimension	4000mmx2200mmx950/1400mm 4100mmx2200mmx1400mm
Packing dimension	4100*2300*1500mm 4200mmx2300mmx1500mm
Weight	
Water capacity	1650KG
Container load	3300 US Gallon/ 12500Liters 0pc/ 20GP; 1pc/ 40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps--SPA Part (UL, CE, KC approved)	Pumps--Pool Part (UL, CE, KC approved)
Jet pump 1: 3.0HP	Jet pump 1: 3.0HP
Jet pump 2: 2.0HP	Jet pump 2: 3.0HP
Jet pump 3: 2.0HP	Jet pump 3: 3.0HP
Jet pump 4: 2.0HP	Jet pump 4: 2.0HP
Jet pump 5: 2.0HP	Jet pump 5: 2.0HP
Circulation pump: 1HP	Circulation pump: 1HP
Air blower: 1.5HP	Air blower: no
Electrics--SPA Part	Electrics--Swimming Part
Control system:	Control system:
America Balboa control	America Balboa control
Max power consumption:	Max power consumption:
13225 Watt 20.1A in 380V 50Hz	13600 Watt 20.6A in 380V 50Hz
Heater: 3KW/220-240VAC	Heater: 3KW/220-240VAC
Underwater lighting: 5'LED	Underwater lighting: 5'LED
Jet --SPA Part	Jet --Swimming Part
Jets total (pc): 151	Jets total (pc): 41
Massage jets (pc): 133	Massage jets (pc): 39
Air jets (pc): 18	Super size U shape swim jet with led (pc): 2
Filtration	Air jets (pc): 0
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	200mg/h
Features	
Water diverter(pc): 6	Water diverter(pc): 4
Air regulator(pc): 2	Air regulator(pc): 6
Suctions (pc): 6	Suctions (pc): 6
Drain valve (pc): 1	Drain valve (pc): 1
Headrest pillows(pc): 7	Headrest pillows(pc): 2
Support frame	#304 Stainless steel
Overflow outlet (pc):	2
Skirt:	Brown/ Grey / Black color



**Handcrafted,
individually designed,**

precision engineered. Discover our extensive range of spas...



SR-820A SPECIFICATION

Size: 5900x2250x1480MM

SPA part Swimming part
Seating Capacity: 2 Persons Seating Capacity: 0 Persons
Lounge: 1 Person Lounge: 0 Person

Dimensions/Weight/ Container load
Product dimension 5900mmx2250mmx1480mm
Packing dimension 5940mmx2300mmx1630mm
Weight - Dry/Filled 800KG/9800KG
Water capacity 2376 US Gallon/9000Liters
Container load 1pc/20ft; 2pcs/40ft

Shell Shell colors
Shell material Aritech Acrylic

Pumps- SPA Part (UL,CE, KC approved)
Jet pump: 3.0HP
Circulation pump: 0.53HP
Air blower: 1HP

Electrics- SPA Part
Control system: America Balboa control GS5012
Max power consumption: 6400 Watt 27.9A in 230V 50Hz
Heater: 3KW/220-240VAC
Underwater lighting: 5" LED

Jet - SPA Part
Jets total (pc): 44
5 inches massage jets (pc): 2
3.5 inches massage jets (pc): 10
(Direct jets 5pc, Rotatable jets 5pcs)
2 inches massage jets (pc): 2
1 inch massage jets (pc): 22
Air jets (pc): 8

Filtration- SPA Part
Front access filter x 1pc
Effective Filtration Area: 200 sq. ft.
Ozone Generator: 100mg/h

Features
Water diverter (pc): 1
Air regulator (pc): 2
Suctions (pc): 2
Drain valve (pc): 1
Headrest pillows (pc): 3
Support frame: #304 Stainless steel
Overflow outlet (pc): 1
PVC Skirt:
Stainless steel handle for swim end
ABS base

Water diverter (pc): 0
Air regulator (pc): 0
Suctions (pc): 2
Drain valve (pc): 1
Headrest pillows (pc): 2
Support frame: #304 Stainless steel
Overflow outlet (pc): 1
Brown/ Grey / Black color
1pc
1set



A SWIMMING POOL
MADE WITH THE BEST
VISUAL DESIGN



*Relax
Slowly Life*





SR-850

SPECIFICATION

Size: SPA part:5880x2200x1300MM

SPA part

Seating Capacity:3 Persons
Lounge:1 Person

Dimensions/Weight/ Container load

"SPA part: 2200mmx1700mmx1300mm"
Packing dimension
Weight-Dry/Filled
Water capacity
Container load

Pool Part: 4150mmx2200mmx1300mm
5950mmx2300mmx1400mm
850KG/10250KG
2482 US Gallon/ 9400Liters
1pc/ 20GP, 2pc/ 40ft

Shell

Shell colors
Shell material

Swimming part

Seating Capacity:0 Persons
Lounge:2 Person

Pumps--SPA Part

(UL,CE, KC approved)
Jet pump 1: 2.0HP
Jet pump 2: 2.0HP
Circulation pump:400W
Air blower:1.0HP

Pumps--Pool Part

(UL,CE, KC approved)
Swim pump: 3.0HP x 3pcs
Jet pump: 2.0HP x 1pc
Circulation pump:1HP
Air blower:1.5HP

Electrics--SPA Part

Control system:
America Balboa control
Max power consumption:
7500Watt 11.4A in 380V 50Hz
Heater: 3KW/220-240VAC
Underwater lighting:50 LED

Electrics--Swimming Part

Control system:
America Balboa control
Max power consumption:
13125Watt 19.9A in 380V 50Hz
Heater: 3KW/220-240VAC
Underwater lighting:50 LED

Jet --SPA Part

Jets total (pc):74
Massage jets (pc): 65
Swim jet (pc): 0
Air jets (pc): 9

Jet --Swimming Part

Jets total (pc):60
Massage jets (pc): 41
Swim jet (pc): 9
Air jets (pc): 10

Filtration


Filter
Effective Filtration Area
Ozone Generator

Front access filters x2pcs
100 sq. ft.
50mg/h

Features

Water diverter(pc): 2
Air regulator(pc): 3
Suctions (pc): 4
Drain valve (pc): 1
Headrest pillows(pc):2
Support frame
Overflow outlet (pc):
Skirt: 2
Brown/ Grey / Black color

Water diverter(pc): 2
Air regulator(pc): 3
Suctions (pc): 6
Drain valve (pc): 1
Headrest pillows(pc): 2
#304 Stainless steel



*Relaxation,
Entertainment,
Therapy, **Exercise...***



SR-856 SPECIFICATION

Size: 11750X2200X1600MM

SPA part	Swimming part
Seating Capacity: 5 Persons	Seating Capacity: 0
Lounge 1 Persons	PersonsLounge: N/A
Dimensions/Weight/ Container load	
Product dimension	11750mmx2200mmx1600mm
Packing dimension	11850mmx2300mmx1700mm
Weight - Dry/Filled	1900KG / 26900KG
Water capacity	6605 US Gallon/ 25000Liters
Container load	0pc/ 20GP. 1pc/ 40ft
Shell	
Shell colors	5 color available
Shell material	Aristech Acrylic
Pumps-SPA Part	Pumps- Swimming Part
(UL,CE, KC approved)	(UL, CE, KC approved)
Jet pump 1: 2.0HP	Swim pump: 3.0HPx 5pcs
Jet pump 2: 2.0HP	Jet pump: N/A
Circulation pump: 1HP	Circulation pump: 1HP
Air blower: N/A	Air blower: N/A
Electrics-SPA Part	Electrics- Swimming Part
Control system	Control system
America Balboa control	America Balboa control
Max power consumption:	Max power consumption:
6790Watt 10.3A in 380V 50Hz	15000Watt 22.8A in 380V 50Hz
Heater: 3KW/220-240VAC	Heater: 3KW/220-240VACU
Underwater lighting: 5D LEDx1pc	Underwater lighting: 5D LEDx2pcs
Jet -SPA Part	Jet - Swimming Part
Jets total (pc): 38	Jets total (pc): 6
Massage jets (pc): 38	7.5° direct direct injection
	Swim jet (pc): 6
Filtration	
Filter	Double Top-mount filters
Sand filter for swimming end	1set
Ozone Generator	100mg/h
Features	
Water diverter(pc): 1	Water diverter(pc): 2
Air regulator(pc): 1	Air regulator(pc): 1
Suctions (pc): 3	Suctions (pc): 5
Drain valve (pc): 1	Drain valve (pc): 1
Headrest pillows (pc): 3	Headrest pillows (pc): 0
Support frame	#304 Stainless steel
Overflow outlet (pc):	2
Skirt:	Brown/ Grey / Black color

There's no place like home for rest and relaxation

That's why we've designed a number of spa shapes and sizes to fit beautifully in the setting of your home. Style and comfort truly come together

Taste care in warm water. You can enjoy most wonderful and memorable experience in the world. Water flows over your body and fatigue can be removed completely.

Water can release working pressure and lets you be lost in most beautiful daydream.





SR-821 SPECIFICATION	
Size: 3850x2200x1200MM	
Seating	
Seating Capacity	5 Persons
Lounge	
1 persons	
Dimensions/Weight/ Container load	
Product dimension	3850mmx2200mmx1200mm
Packing dimension	3950mmx2300mmx1300mm
Weight - Dry/Filled	800KG/ 6650KG
Water capacity	1597US Gallon/ 6050Liters
Container load	1pc/20ft., 2pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	3.0HP
Jet pump 2	3.0HP
Jet pump 3	3.0HP
Jet pump 4	2.0HP
Jet pump 5	2.0HP
Circulation pump	1.0HP
Air blower	1.5HP
Electrics	
Control system	America Balboa control
Max power consumption:	13715 Watt 20.8A in 380V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	50 LED
Jet Configurations	
Jets total (pc)	59
Swim jets (pc)	5
Massage jets (pc)	46
Air jets (pc)	8
Filtration	
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	4
Air regulator(pc)	4
Suctions (pc)	6
Gate valves (pc)	12
Drain valve (pc)	1
Headrest pillows(pc)	2
Support frame	#304 Stainless steel
Overflow outlet (pc)	Brown/ Grey / Black color
Skirt:	Brown/ Grey / Black color



SR-853 SPECIFICATION	
Size: 4300x2200x1350MM	
Seating	
Seating Capacity	1 Persons
Lounge	
2 Persons	
Dimensions/Weight/ Container load	
Product dimension	4300x2200x1360mm
Packing dimension	4400x2300x1460mm
Weight - Dry/Filled	690KG/ 6190KG
Water capacity	1453 US Gallon/ 5500Liters
Container load	1pc/ 20ft., 2pcs/ 40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Swim pump	3.0HPx3pcs
Jet pump	2.0HPx1pc
Circulation pump	1.0HP
Electrics	
Control system	America Balboa control
Max power consumption:	12000Watt 18.2A in 380V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	50 LED
Jet Configurations	
Jets total (pc)	36
7.5 direct direct injection Swim jet (pc)	6
Massage jets 3.5'(pc)	8
Massage jets 1.5'(pc)	22
Filtration	
High-efficiency Filter (3 filters)	Top mount filters
Effective Filtration Area	150 sq. ft.
Ozone Generator	50mg/h
Features	
Fountain with LED (pc)	4
Water diverter(pc)	1
Air regulator(pc)	2
Suctions (pc)	6
Gate valves (pc)	2
Drain valve (pc)	1
EVA Headrest pillows(pc)	2
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color



SR-823 SPECIFICATION	
Size: 4260X2200X1280MM	
Seating	
Seating Capacity	4 Persons
Lounge	
0 Persons	
Dimensions/Weight/ Container load	
Product dimension	4260mmx2200mmx1280mm
Packing dimension	4360mmx2300mmx1380mm
Weight - Dry/Filled	680KG/ 6040KG
Water capacity	1416 US Gallon/ 5360Liters
Container load	1pc/ 20ft., 4pcs/ 40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	3.0HP
Jet pump 2	3.0HP
Jet pump 3	2.0HP
Circulation pump	1HP
Air blower	1.5HP
Electrics	
Control system	America Balboa control
Max power consumption:	10875Watt 15.8A in 380V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	50 LED
Jet Configurations	
Jets total (pc)	47
Swim jets (pc)	5
Massage jets (pc)	26
Air jets (pc)	14
Filtration	
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	2
Air regulator(pc)	2
Suctions (pc)	4
Gate valves (pc)	10
Drain valve (pc)	1
Headrest pillows(pc)	2
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color





SR-880 SPECIFICATION
Size SPA part: 2200mmx1700mmx1380mm Pool Part: 4100mmx2200mmx1380mm

SPA part	Swimming part
Seating Capacity: 2 Persons	Seating Capacity: 2 Persons
Lounge: 1 Person	Lounge: N/A
Dimensions/Weight/ Container load	Dimensions/Weight/ Container load
Product dimension	5800mmx2200mmx1380mm
Packing dimension	5900mmx2300mmx1460mm
Weight - Dry/Filled	850KG/1025KG
Water capacity	2482 US Gallon/ 9400Liters
Container load	1pc/ 20GP, 2pc/ 40ft
Shell	10 color available
Shell colors	Aristech Acrylic
Shell material	
Pumps - SPA Part	Pumps - Swimming part
(UL, CE, KC approved)	(UL, CE, KC approved)
Jet pump 1: 2.0HP	Swim pump: 3.0HP x 3pcs
Jet pump 2: N/A	Jet pump: 2.0HP x 1pc
Circulation pump: 0.53HP	Circulation pump: 0.53HP
Electrics (SPA part)	Electrics (Swimming part)
Control system	Control system
America Balboa control	America Balboa control
Max power consumption:	Max power consumption:
4940Watt 7.5A in 380V 50Hz	11700Watt 17.8A in 380V 50Hz
Heater: 3KW/220-240VAC	Heater: 3KW/220-240VAC
Underwater lighting: 50 LEDx 1pc	Underwater lighting: 50 LEDx 2pcs
Jet - SPA Part	Jet - Swimming Part
Jets total (pc): 32	Jets total (pc): 22
Massage jets 5" (pc): 3	Swim jet direct injection 7.5" (pc): 5
Massage jets 3.5" (pc): 9	Massage jets 5" (pc): 2
Massage jets 1" (pc): 20	Massage jets 3.5" (pc): 4
	Massage jets 1" (pc): 11
Filtration	
Filter	Top mount filter x 2pcs
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter with LED (pc): 1	Water diverter with LED (pc): 1
Air regulator with LED (pc): 1	Air regulator (pc): 2
Suctions (pc): 3	Suctions (pc): 6
Drain valve (pc): 1	Drain valve (pc): 1
Headrest pillows (pc): 3	Headrest pillows (pc): 2
Support frame	#304 Stainless steel
Overflow outlet (pc):	2
Skirt:	Brown/ Grey / Black color
Fountain with LED (pc)	4



SR-855 SPECIFICATION
Size: 6700X2200X1650MM

Seating	Seating Capacity
Seating	2 Persons
Lounge	N/A
Dimensions/Weight/ Container load	Dimensions/Weight/ Container load
Product dimension	6700mmx2200mmx1530mm
Packing dimension	6800mmx2300mmx1630mm
Weight - Dry/Filled	1050KG/1605KG
Water capacity	3963 US Gallon/ 15000Liters
Container load	2pc/20ft; 1pc/ 40ft
Shell	5 color available
Shell colors	Aristech Acrylic
Shell material	
Pumps (UL, CE, KC approved)	Pumps (UL, CE, KC approved)
Swimming pump	3.0HP x 3pcs
Jet pump	2.0HP x 1pc
Fountain pump with separate	
electronic control	0.53HP x 1pc
Circulation pump	1HP x 1pc
Electrics	
Control system	America Balboa control
Max power consumption:	12400W 18.8A in 380V/50Hz
Heater: 3KW/220-240VAC	3KW/220-240VAC
Underwater lighting: 50 LEDx 2pcs	50 LED x 2pcs
Jet Configurations	
Jets total (pc)	44
U-Swim jets (pc)	3
Massage jets 5" (pc)	1
Massage jets 3.5" (pc)	2
Massage jets 3.5" (pc)	2
Massage jets 1" (pc)	38
Filtration	
Filter	Double Top-mount filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Fountains (pc)	12
Water diverter 2" (pc)	1
Air regulator (pc)	1
Suctions (pc)	6
Drain valve (pc)	2
Headrest pillows (pc)	4
Support frame	1
Overflow outlet (pc)	2
Skirt:	Brown/ Grey / Black color
Fountain with LED (pc)	4



SR-860 SPECIFICATION
Size: 5700X2200X1300MM

Seating	Seating Capacity
Seating	2 Persons
Lounge	2 Persons
Dimensions/Weight/ Container load	Dimensions/Weight/ Container load
Product dimension	5700 x 2200 x 1300mm
Packing dimension	5800mmx2300mmx1400mm
Weight - Dry/Filled	805KG/930KG
Water capacity	2244 US Gallon/ 8500Liters
Container load	1pc/20ft; 2pc/40ft
Shell	10 color available
Shell colors	Aristech Acrylic
Shell material	
Pumps (UL, CE, KC approved)	Pumps (UL, CE, KC approved)
Swim pump 1	3.0HP
Swim pump 2	3.0HP
Swim pump 3	3.0HP
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	1HP
Air blower	N/A
Electrics	
Control system	America Balboa control
Max power consumption:	14725Watt 22.4A in 380V/50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5'LED x 2pcs
Jet Configurations	
Jets total (pc)	67
Super size swim jets (pc)	4
Massage jets (pc)	63
Air jets (pc)	N/A
Filtration	
Filter	Top mount filters x 2pcs
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter (pc): 2	2
Air regulator (pc): 1	2
Suctions (pc)	8
Drain valve (pc): 1	12
Headrest pillows (pc): 3	1
Support frame	4
Overflow outlet (pc): 1	1
Skirt:	Brown/ Grey / Black color



SR-858 SPECIFICATION
Size: 5750X2250X1300MM

SPA part	Swimming part
Seating Capacity: 3 Persons	Seating Capacity: 2 Persons
Lounge: 1 Person	Lounge: 0 Person
Dimensions/Weight/ Container load	Dimensions/Weight/ Container load
Product dimension	5750mmx2250mmx1300mm
Packing dimension	5850mmx2350mmx1400mm
Weight - Dry/Filled	750KG/9750KG
Water capacity	2376 US Gallon/ 9000Liters
Container load	1pc/20ft; 2pc/40ft
Shell	10 color available
Shell colors	Aristech Acrylic
Shell material	
Pumps - SPA Part	Pumps - Pool Part
(UL, CE, KC approved)	(UL, CE, KC approved)
Jet pump 1: 3.0HP	Swim pump 1: 3.0HP
Jet pump 2: 3.0HP	Swim pump 2: 3.0HP
Circulation pump: 1HP	Circulation pump: 1HP
Air blower: No	Air blower: 1.5HP
Electrics - SPA Part	Electrics - Swimming Part
Control system:	Control system:
America Balboa control	America Balboa control
Max power consumption:	Max power consumption:
7975 Watt 12.7A in 380V 50Hz	8350 Watt 12.7A in 380V 50Hz
Heater: 3KW/220-240VAC	Heater: 3KW/220-240VAC
Underwater lighting: 5' LED	Underwater lighting: 5' LED
Jet - SPA Part	Jet - Swimming Part
Jets total (pc): 65	Jets total (pc): 5
Massage jets (pc): 52	Massage jets (pc): 5
Air jets (pc): 13	Air jets (pc): no
Filtration	
Filter	Front access filters x 2pcs
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter (pc): 2	Water diverter (pc): 0
Air regulator (pc): 1	Air regulator (pc): 0
Suctions (pc)	4
Drain valve (pc): 1	1
Headrest pillows (pc): 3	Headrest pillows (pc): 0
Support frame	#304 Stainless steel
Overflow outlet (pc): 1	Overflow outlet (pc): 1
Skirt:	Brown/ Grey / Black color

Innovative R & D quality as one
Athena series New





SR-805A SPECIFICATION	
Size: 2230X2230X940MM	
Seating	
Seating Capacity	3 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2230mmx2230mmx940mm
Packing dimension	2330mmx2330mmx1040mm
Weight - Dry/Filled	395KG/1645KG
Water capacity	330US Gallon/1250Liters
Container load	5pcs/20ft; 10pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	400w
Air blower	N/A
Electrics	
Control system	US Balboa system
Power supply	220V/50HZ
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	80 LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
61	
5.0 inches Massage jets (pc)	2
3.5inches Massage jets (pc)	21(14pcs D-jet,7pcs Rotating jet)
2.5inches Massage jets (pc)	4
1.0inches Massage jets (pc)	34
Air jets (pc)	N/A
Filtration	
Top mount filter	3pces
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water clarifier (pc)	2
Air regulator (pc)	4
Stainless steel fountain	3
2inches Suctions (pc)	4
Drain valve (pc)	1
EVA Headrest pillows (pc)	3
Support frame	#304 thickening Stainless steel
Overflow outlet (pc)	N/A
PVC Skirt	Natural/brown/grey available
ABS base:	1



SR-812A SPECIFICATION

Size: 2300X2200X940MM	
Seating	
Seating Capacity	3 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2300mmx2200mmx940mm
Packing dimension	2400mmx2300mmx1040mm
Weight - Dry/Filled	410KG/ KG 1780KG
Water capacity	357 US Gallon/1350Liters
Container load	5pcs/20ft; 12pcs - 15pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump (two-speed)	1*3.0HP
Air blower	N/A
Electrics	
Control system	America Balboa control
Power supply	530W/24V 24.3A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	80 LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
29	
1 (rotating jet)	
6 (3pcs d-jets,3pcs R-jets)	
22 (direct jets)	
N/A	
Filtration	
Filter	
Effective Filtration Area	
Ozone Generator	
Features	
Water clarifier (pc)	1
Air regulator (pc)	2
Suctions (pc)	2
Gate valves (pc)	2
Drain valve (pc)	1
Headrest pillows (pc)	3
Supprt frame	
Overflow outlet (pc)	#304 Stainless steel
Skirt (Exclusive for New Eco Series)	1
Black ABS corner (Exclusive)	Brown/Grey /Coffee color
ABS base:	1
Front access filters	
100 sq. ft.	
50mg/h	

SR-805A SPECIFICATION	
Size:2230X2230X940MM	
Seating	
Seating Capacity	3 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2230mmx2230mmx940mm
Packing dimension	2330mmx2330mmx1040mm
Weight - Dry/Filled	395KG/1645KG
Water capacity	330US Gallon/1250Liters
Container load	5pcs/20ft; 10pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	400w
Air blower	N/A
Electrics	
Control system	US Balboa system
Power supply	220V/50HZ
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	80 LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
61	
5.0 inches Massage jets (pc)	2
3.5inches Massage jets (pc)	21(14pcs D-jets,8pcs Rotating jet)
2.5inches Massage jets (pc)	4
1.5inches Massage jets (pc)	34
Air jets (pc)	N/A
Filtration	
Top mount filter	3pces
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water clarifier (pc)	2
Air regulator (pc)	4
Stainless steel fountain	3
2inches Suctions (pc)	4
Drain valve (pc)	1
EVA Headrest pillows (pc)	3
Support frame	#304 thickening Stainless steel
Overflow outlet (pc)	N/A
PVC Skirt	Natural/brown/grey available
ABS base:	1




SR-812A SPECIFICATION

Seating	3 Persons
Seating Capacity	2 persons
Dimensions/Weight/ Container load	
Product dimension	2300mmx2200mmx940mm
Packing dimension	2400mmx2300mmx1040mm
Weight - Dry/Filled	410KG/ KG 1780KG
Water capacity	357 US Gallon/1350L liters
Container load	5pcs/20ft; 12pcs - 15pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump (two-speed)	1*3.0HP
Air blower	N/A
Electrics	
Control system	America Balboa control
Power supply	530W/240V 24.3A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	80 LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
29	
5.0 inches Massage jets (pc)	1 (rotating jet)
3.5inches Massage jets (pc)	6 (3pcs d-jets,3pcs R-jets)
1.5inches Massage jets (pc)	22 (direct jets)
Air jets (pc)	N/A
Filtration	
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water clarifier (pc)	1
Air regulator (pc)	2
Suctions (pc)	2
Gate valves (pc)	2
Drain valve (pc)	1
Headrest pillows (pc)	3
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt (Exclusive)	1
Black ABS corner (Exclusive)	Brown/Grey /Coffee color
ABS base:	1



SR-806A SPECIFICATION	
Size:2230X2230X940MM	
Seating	5 Persons
Seating Capacity	1 persons
Lounge	
Dimensions/Weight/ Container load	
Product dimension	2230mmx2230mmx940mm
Packing dimension	2330mmx2330mmx1040mm
Weight - Dry/Filled	395KG/1648KG
Water capacity	330US Gallon/1250Liters
Container load	5pcx/20ft, 10pcx/40ft
Shell	
Shell colors	10 color available
Shell material	US Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	400W
Air blower	N/A
Electrics	
Control system	US Balboa system
Power supply	220V/50HZ
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5" LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
Jets total (pc)	49
5.0 inches Massage jets (pc)	4
3.5inches Massage jets (pc)	22(10pcs D-jet,12pcs Rotating)
2.5inches Massage jets (pc)	2
1.0inches Massage jets (pc)	21
Air jets (pc)	N/A
Filtration	
Top mount filter	3pcs
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	1
Air regulator(pc)	4
Stainless steel fountain	3
2inches Suctions (pc)	3
Drain valve (pc)	1
Headrest pillows(pc)	3
Support frame	#304 thickening Stainless steel
Overflow outlet (pc)	N/A
PVC Skirt:	Natural/brown/grey available
ABS base:	1



*Creat the high
quality products which
fulfill the concept of fashion*



SR-801A SPECIFICATION	
Size:2230X2230X940MM	

Seating	5 Persons	Jet Configurations	
Seating Capacity	1 persons	Jets total (pc)	
Lounge		3.5inches massage jets (pc)	
Dimensions/Weight/ Container load		1.0inches massage jets (pc)	
Product dimension	2230mmx2230mmx940mm	Air jets (pc)	
Packing dimension	2330mmx2330mmx1040mm		
Weight - Dry/Filled	350KG/ 1600KG	Filtration	
Water capacity	330US Gallon/ 1250Liters	Filter	
Container load	5pcx/20ft, 10pcx/40ft	Effective Filtration Area	
Shell		Ozone Generator	
Shell colors	10 color available	Front access filters	
Shell material	Aristech Acrylic	100 sq. ft.	
Pumps (UL,CE, KC approved)		50mg/h	
Jet pump (two-speed)	1*3.0HP		
Air blower	N/A	Features	
Electrics		Water diverter(pc)	
Control system	America Balboa control	2	
Max power consumption:	5350Watt 24.3A in 220V 50Hz	2	
Heater (America Balboa brand)	3KW/220-240VAC	2	
Underwater lighting	5" LED	1	
Skirt corner LED light	12pcs	3	
Logo LED light	3pcs	#304 Stainless steel	
		N/ABrown/Grey/Coffee color	
		1	
		1	



SR-801B SPECIFICATION
Size: 2230X2230X800MM

Seating	5 Persons	Jet Configurations	28
Seating Capacity	1 persons	3.5inches massage jets (pc)	6 (3pcs d-jets,3pcs R-jets)
Lounge		1.0inches massage jets (pc)	22 (direct jets)
Dimensions/Weight/ Container load		Air jets (pc)	N/A
Product dimension	2230mmx2230mmx800mm		
Packing dimension	2330mmx2330mmx900mm		
Weight - Dry/Filled	350KG/ 1600KG		
Water capacity	330US Gallon/ 1250Liters		
Container load	5pcs/20ft; 15pcs/40ft		
Shell			
Shell colors	10 color available		
Shell material	Aristech Acrylic		
Pumps (UL, CE, KC approved)			
Jet pump (two-speed)	1*3.0HP		
Air blower	N/A		
Electrics			
Control system	America Balboa control		
Max power consumption:	5350Watt 24.3A in 220V 50Hz		
Heater (America Balboa brand)	3KW/220-240VAC		
Underwater lighting	50 LED		
Logo LED light	3pcs		
Features			
Water diverter(pc)	2		
Air regulator(pc)	2		
Suctions (pc)	2		
Gate valves (pc)	2		
Drain valve (pc)	1		
Headrest pillows(pc)	3		
Support frame	#304 Stainless steel		
Overflow outlet (pc)	N/A		
Skirt(Exclusive for New Eco Series)	Brown/Grey /Coffee color		
ABS base:	N/A		

SR-812B

SPECIFICATION
Size: 2300X2200X800MM

Seating	3 Persons
Seating Capacity	2 persons
Lounge	
Dimensions/Weight/ Container load	
Product dimension	2300mmx2200mmx800mm
Packing dimension	2400mmx2300mmx800mm
Weight - Dry/Filled	410KG/ KG 1760KG
Water capacity	357 US Gallon/ 1350Liters
Container load	5pcs/20ft; 15pcs/40ft

Shell	10 color available
Shell colors	Aristech Acrylic
Shell material	
Pumps (UL, CE, KC approved)	
Jet pump (two-speed)	1*3.0HP
Air blower	N/A

Electrics	America Balboa control
Control system	5350Watt 24.3A in 220V 50Hz
Max power consumption:	3KW/220-240VAC
Heater (America Balboa brand)	5" LED
Underwater lighting	3pcs
Logo LED light	

Jet Configurations	29
Jets total (pc)	1 (rotating jet)
5.0inches massage jets (pc)	6 (3pcs d-jets,3pcs R-jets)
3.5inches massage jets (pc)	22 (direct jets)
1.0inches massage jets (pc)	N/A
Air jets (pc)	

Filtration	Front access filters
Filter	
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h

Features	
Water diverter(pc)	1
Air regulator(pc)	2
Suctions (pc)	2
Gate valves (pc)	2
Drain valve (pc)	1
Headrest pillows(pc)	3
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt(Exclusive for New Eco Series)	Brown/Grey /Coffee color
ABS base:	N/A



*Swimming for 20 minutes,
Equivalent to running half an hour.*



SR-832A SPECIFICATION	
Size: 2790X2200X940MM	
Seating Capacity	7 Persons
Seating	1 persons
Product dimension	
Packing dimension	2790mmx2200mmx940mm
Weight - Dry/Filled	2890mmx2300mmx1040mm
Water capacity	480KG/2430KG
Container load	515 US Gallon/1950Liters
	4pcs/20ft, 8pcs/40ft
Shell	
Shell colors	10 color available
Shell material	USA Aristech Acrylic
Pumps (UL, CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Jet pump 3	2.0HP
Circulation pump	0.53HP
Air blower	N/A
Electrics	
Control system	America Balboa control
Max power consumption	7950Watt 34.6A in 220V 50Hz
Heater (America Balboa brand)	3KW
Underwater lighting	5" LED
Skirt corner LED light	12pcs
Logo LED light	3pcs
Jet Configurations	
Jet total	112
5.0 inches Massage jets (pc)	5(2pcs D-jet,3pcs Rotating jet)
3.5inches Massage jets (pc)	9(5pcs D-jet,4pcs Rotating jet)
2.5inches Massage jets (pc)	2
1.0inches Massage jets (pc)	96
Air jets (pc)	N/A
Filtration	
Top mount filter	3pcs
Effective Filtration Area	100 sq. ft.
Ozone Generator	200mg/h
Features	
Water diverter with LED (pc)	2
Air regulator with LED (pc)	4
Stainless steel fountain with LED	2
2inches Suctions (pc)	5
Drain valve (pc)	1
EVA Headrest pillows(pc)	3
Support frame	#304 thickening Stainless steel
Overflow outlet (pc)	N/A
Skirt(New wide board):	Natural/brown/grey available
ABS base	1



SR-832B SPECIFICATION

Size: 2600X2200X940MM

Seating Capacity	7 Persons	Jet Configurations	
Seating	1 persons	Jets total (pc)	84
Product dimension		5.0 inches Massage jets (pc)	4(dpcs D-jet,2pcs Rotating jet)
Packing dimension	2600mmx2200mmx940mm	3.5inches Massage jets (pc)	19(3pcs D-jet,8pcs Rotating jet)
Weight - Dry/Filled	2700mmx2300mmx1040mm	2.5inches Massage jets (pc)	2
Water capacity	450KG/2100KG	1.0inches Massage jets (pc)	60
Container load	422 US Gallon/1600Liters	Air jets (pc)	N/A
	4pcs/20ft, 8pcs/40ft	Filtration	
Shell		Top mount filter	3pcs
Shell colors	10 color available	Effective Filtration Area	100 sq. ft.
Shell material	USA Aristech Acrylic	Ozone Generator	200mg/h
Pumps (UL, CE, KC approved)		Features	
Jet pump 1	2.0HP	Water diverter with LED (pc)	2
Jet pump 2	2.0HP	Air regulator with LED (pc)	2
Jet pump 3	2.0HP	Stainless steel fountain with LED	2
Circulation pump	0.53HP	Cup holder with LED	2
Air blower	N/A	2inches Suctions (pc)	4
Electrics		Drain valve (pc)	1
Control system	America Balboa control	EVA Headrest pillows(pc)	3
Max power consumption	7950Watt 34.6A in 230V 50Hz	Support frame	#304 thickening Stainless steel
Heater (America Balboa brand)	3KW	Overflow outlet (pc)	N/A
Underwater lighting	5" LED	Skirt(New wide board):	Natural/brown/grey available
Skirt corner LED light	12pcs	ABS base:	1
Logo LED light	3pcs		





SR-808A SPECIFICATION
Size: 2130X1650X875MM

Seating	Seating Capacity	1 Persons
Lounge		2 persons
Dimensions/Weight/ Container load		
Product dimension		2130mmx1650mmx875mm
Packing dimension		2230mmx1750mmx975mm
Weight - Dry Filled		295KG/ 1090KG
Water capacity		210US gallon/795L
Container load		6pcs/20ft; 13pcs/40ft
Shell		
Shell colors		10 color available
Shell material		US Aristech Acrylic
Pumps (UL, CE, KC approved)		
Jet pump 1		2.0HP
Jet pump 2		2.0HP
Circulation pump		400w
Air blower		N/A
Electrics		
Control system		US Balboa system
Power supply		220V/50Hz
Heater (America Balboa brand)		3KW/220-240VAC
Underwater lighting		50 LED
Skirt corner LED light		12pcs
Logo LED light		3pcs



SR-808B SPECIFICATION
Size: 2130X1650X875MM

Seating	Seating Capacity	2 Persons
Lounge		1 persons
Dimensions/Weight/ Container load		
Product dimension		2130mmx1650mmx875mm
Packing dimension		2230mmx1750mmx975mm
Weight - Dry/Filled		252KG/ 1050KG
Water capacity		210US gallon/795L
Container load		6pcs/20ft; 13pcs/40ft
Shell		
Shell colors		10 color available
Shell material		US Aristech Acrylic
Pumps (UL,CE, KC approved)		
Jet pump (two-speed)		1+2.0HP
Air blower		N/A
Electrics		
Control system		US Balboa system
Power supply		220V/50Hz
Heater (America Balboa brand)		2KW/220-240VAC
Underwater lighting		5" LED
Jet Configurations		
Jet total (pc)		23pcs
3.5inches Massage jets (pc)		1pc
1.0inches Massage jets (pc)		11pcs
Air jets (pc)		11pcs
N/A		N/A
Filtration		
Top mount filter		1pc
Effective Filtration Area		100 sq. ft.
Ozone Generator		50mg/h
Features		
Water diverter(pc)		1
Air regulator(pc)		2
Stainless steel fountain		2
2inches Suctions (pc)		3
Drain valve (pc)		4
EVA Headrest pillows(pc)		1
Support frame		2
Overflow outlet (pc)		#304 thickening Stainless steel
PVC Skirt		N/A
ABS base		Natural/brown/grey available



High quality
material Modern
spa culture
Excellent impression
New bathing experience

SR-808C SPECIFICATION

Size: 2130x1650x780MM

Seating	
Seating Capacity	2 Persons
Lounge	1 persons
Dimensions/Weight/ Container load	
Product dimension	2130mmx1650mmx780mm
Packing dimension	2230mmx1750mmx880mm
Weight - Dry/Filled	225KG/ 1020KG
Water capacity	210US gallon/795L
Container load	6pcs/20ft; 18pcs/40ft
Shell	
Shell colors	10 color available
Shell material	US Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump (two-speed)	1*2.0HP
Air blower	N/A
Electrics	
Control system	US Balboa system
Power supply	220V/50HZ
Heater (America Balboa brand)	2KW/220-240VAC
Underwater lighting	5" LED
Jet Configurations	
Jets total (pc)	23pcs
5.0 inches Massage jets (pc)	1pc
3.5inches Massage jets (pc)	11pcs
1.0inches Massage jets (pc)	11pcs
Air jets (pc)	N/A
Filtration	
Top mount filter	1pc
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	1
Air regulator(pc)	2
2inches Suction (pc)	2
Drain valve (pc)	1
EVA Headrest pillows(pc)	3
Support frame	#304 thickening Stainless steel
Overflow outlet (pc)	N/A
PVC Skirt:	Natural/brown/grey available
ABS base:	N/A



Designed To Raise Your Standard Of Living

SR-807A

SPECIFICATION

Size:

1850MM

Seating
Seating Capacity

2 Persons

1 persons

Dimensions/Weight/ Container load

Product dimension

1850mmx1250mmx780mm

Packing dimension

1950mmx1350mmx880mm

Weight - Dry/Filled

215KG/ 1115KG

Water capacity

237 US Gallon/ 900 liters

Container load

8pcs/20ft; 24pcs/ 40ft

Shell

Shell colors

10 color available

US Aristech Acrylic

Shell material

US Aristech Acrylic

Pumps (UL,CE, KC approved)

1*2.0HP

Jet pump (two-speed)

N/A

Air blower

Electrics

Control system

US Balboa system

(GS100+VL260)

Power supply

220V/50HZ

Heater (America Balboa brand)

2KW/220-240VAC

Underwater lighting

5" LED

Jet Configurations

Jets total (pc)

3.0inches

Massage jets (pc)

1.0inches

Massage jets (pc)

Air jets (pc)

N/A

Filtration

Top mount filter

Effectiveness

Area

Ozone Generator

50mg/h

Features

Water diverter (pc)

Air regulator (pc)

1.5inches

Suctions (pc)

Drain valve (pc)

EVA Headrest pillows (pc)

Support frame

Overflow outlet (pc)

Skin (Exclusive for New Eco Series)

Black ABS corner with LED

(Exclusive for this model)

ABS base:

#304 thickening Stainless steel

N/A

Brown/Grey/Coffee color

1set





Gaea series

Using a SPA on a regular basis
improves quality of life.

When body and spirit are in
harmony, well-being comes of it's own accord.

SR-877 SPECIFICATION
Size: 2200X2200X920MM

Seating	3 Persons	Jet Configurations
Seating Capacity	2 persons	Jets total (pc) 50
Lounge		5.0inches Massage jets (pc) 4
		3.5inches Massage jets (pc) 13
		1.0inches Massage jets (pc) 33
Dimensions/Weight/Container load		Filtration
Product dimension	2200mmx2200mmx920mm	High-efficiency Filter (3 filters)
Packing dimension	2300mmx2300mmx1020mm	Top mount filters
Weight - Dry/Filled	385KG/1635KG	150 sq. ft.
Water capacity	330US Gallon/1250Liters	50mg/h
Container load	5pcs/20ft; 10pcs/40ft	
Shell		
Shell colors	10 color available	
Shell material	Aristech Acrylic	
Pumps (UL,CE, KC approved)		
Jet pump 1	2.0HP	2# Filter diverter (pc) 1
Jet pump 2	2.0HP	1Inch Air regulator (pc) 2
Circulation pump	0.53HP	2Inches Suction (pc) 4
Electrics		Gate valves (pc) 2
Control system	America Balboa control	Drain valve (pc) 1
Max power consumption:	6500W/alt 29.5A in 220V 50Hz	EVA Headrest pillows (pc) 3
Heater (America Balboa brand)	3KW/220-240VAC	Support frame #304 Stainless steel 1
Underwater lighting	5' LED	Skirt Brown/ Grey / Black color



Relaxation from here.
Hydropathy brings you healthier body.
Enjoy the massage, enjoy the life

SR-878 SPECIFICATION
 Size: 2200X2200X920MM

Seating	
Seating Capacity	6 Persons
Lounge	N/A
Dimensions/Weight/ Container load	
Product dimension	2200mm x 2200mm x 920mm
Packing dimension	2300mm x 2300mm x 1020mm
Weight - Dry/Filled	385KG/1635KG
Water capacity	330US Gallon/1250Liters
Container load	5pcs/20ft; 10pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	0.53HP
Electrics	
Control system	America Balboa control
Max power consumption:	6440W 28A in 230V/50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5'LED
Jet Configurations	
Jets total (pc)	40
Massage jets 5" (pc)	3
Massage jets 3.5" (pc)	11
Massage jets 1" (pc)	26
Filtration	
High-efficiency Filter (3 filters)	Top mount filters
Effective Filtration Area	150 sq. ft.
Ozone Generator	50mg/h
Features	
2" Water diverter with LED (pc)	2
Air regulator (pc)	2
2" Suctions (pc)	4
Gate valves (pc)	2
Drain valve (pc)	1
EVA Headrest pillows (pc)	4
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color



SR-879 SPECIFICATION
 Size: 2200X2200X920MM

Seating		Jet Configurations	
Seating Capacity	5 Persons	Jets total (pc)	45
Lounge	1 persons	Massage jets 5" (pc)	5
Dimensions/Weight/ Container load		Massage jets 3.5" (pc)	10
Product dimension	2200mm x 2200mm x 920mm	Massage jets 1" (pc)	30
Packing dimension	2300mm x 2300mm x 1020mm		
Weight - Dry/Filled	385KG/1635KG		
Water capacity	330US Gallon/1250Liters		
Container load	5pcs/20ft; 10pcs/40ft		
Shell		Filtration	
Shell colors	10 color available	High-efficiency Filter (3 filters)	Top mount filters
Shell material	Aristech Acrylic	Effective Filtration Area	150 sq. ft.
Pumps (UL,CE, KC approved)		Ozone Generator	50mg/h
Jet pump 1	2.0HP		
Jet pump 2	2.0HP		
Circulation pump	0.53HP		
Electrics		Features	
Control system	America Balboa control	2" Inches Water diverter (pc)	2
Max power consumption:	6500Watt 28A in 220V 50Hz	2" Inches Air regulator (pc)	2
Heater (America Balboa brand)	3KW/220-240VAC	2" Inches Suctions (pc)	5
Underwater lighting	5'LED	Drain valves (pc)	2
		EVA Headrest pillows (pc)	1
		Support frame	3
		Overflow outlet (pc)	#304 Stainless steel
		PVC Skirt:	1
			Brown/ Grey / Black color



*DESIGNED
TO RAISE YOUR
STANDARD
OF LIVING QUALITY OF LIFE*

Classic Series



Stainless Steel
Jets make the outlook more grace-Beauty

Match the color of your spa with the options of your choice for a distinctive combination.

SR-862 SPECIFICATION

Size: 2300X2300X950MM

Seating	
Seating Capacity	3 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2300mmx2300mmx950mm
Packing dimension	2400*2400*1100mm
Weight - Dry/Filled	450KG/ 1950KG
Water capacity	396 US Gallon/ 1500Liters
Container load	0pc/20ft; 10pc/40ft

Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic

Pumps (UL,CE, KC approved)

Jet pump 1	2.0HP
Jet pump 2	2.0HP
Jet pump 3	2.0HP
Circulation pump	0.53HP
Air blower	1.5HP

Electrics	
Control system	America Balboa control
Max power consumption:	8700Watt 39.5A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5" LED

Jet Configurations	
Jets total (pc)	91
Massage jets (pc)	81
Air jets (pc)	10

Filtration	
Filter	Top mount filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h

Features	
Water diverter(pc)	2
Air regulator(pc)	2
Suction (pc)	4
Gate valve(s)	8
Drain valve (pc)	1
Headrest pillows(pc)	3
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color



SR-816 SPECIFICATION

Size: 2200X2200X950MM

Seating	
Seating Capacity	3 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2200mmx2200mmx950mm
Packing dimension	2300mmx2300mmx1050mm
Weight - Dry/Filled	495KG/ 1845KG
Water capacity	357 US Gallon/ 1350Liters
Container load	5pcs/20ft; 10pcs/40ft

Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic

Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Jet pump 3	2.0HP
Circulation pump	0.53HP
Air blower	1.5HP

Electrics	
Control system	America Balboa control
Max power consumption:	8700Watt 39.5A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5" LED

Jet Configurations	
Jets total (pc)	89
Massage jets (pc)	78
Air jets (pc)	11

Filtration	
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h

Features	
Water diverter(pc)	2
Air regulator(pc)	2
Suction (pc)	4
Drain valve (pc)	1
Headrest pillows(pc)	3
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color



SR-826 SPECIFICATION

Size: 2200x2200x950MM

Seating	
Seating Capacity	4 Persons
Lounge	2 persons
Dimensions/Weight/ Container load	
Product dimension	2200x2200x950mm
Packing dimension	2300x2300x1050mm
Weight- Dry/Filled	385KG/1635KG
Water capacity	330US Gallon/1250Liters
Container load	5pcs/20ft; 10pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2HP
Jet pump 2	2HP
Jet pump 3	2HP
Circulation pump	0.5HP
Air blower	1.5HP
Electrics	
Control system	America Balboa control
Max power consumption:	8700Watt 39.5A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5' LED
Jet Configurations	
Jets total (pc)	73
Massage jets (pc)	61
Air jets (pc)	12
Filtration	
Filter	Front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	2
Air regulator(pc)	6
Suction (pc)	4
Gate valves (pc)	8
Drain valve (pc)	1
Headrest pillows(pc)	4
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black




That's why we've designed a number of spa shapes and sizes to fit beautifully in the setting of your home. Style and comfort truly come together.

SR-851 SPECIFICATION

Size: 3800x2200x1050MM

Seating	
Seating Capacity	6 Persons
Lounge	4 Persons
Dimensions/Weight/ Container load	
Product dimension	3800mm x 2200mm x 1050mm
Packing dimension	3900mm x 2300mm x 1150mm
Weight- Dry/Filled	520KG/ 2370KG
Water capacity	488 US Gallon/ 1850Liters
Container load	1pc/20ft; 6pcs/ 40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	3.0HP
Jet pump 2	3.0HP
Jet pump 3	3.0HP
Circulation pump	1HP
Air blower	1.5HP
Electrics	
Control system	America Balboa control
Max power consumption:	11625W 52.9A in 220V/50Hz
Heater (America Balboa brand)	3KW/220-240VAC
Underwater lighting	5'LED
Jet Configurations	
Jets total (pc)	158
Massage jets (pc)	138
Air jets (pc)	20
Filtration	
Filter	front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	4
Air regulator(pc)	4
Suction (pc)	4
Gate valves (pc)	8
Drain valve (pc)	1
Headrest pillows(pc)	7
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt:	Brown/ Grey / Black color





SR-836 SPECIFICATION



SR-810 SPECIFICATION



SR-835 SPECIFICATION



SR-808 SPECIFICATION



R-876 SPECIFICATION



SR-832 SPECIFICATION
Size: 2500x2000x920MM



SR-866 SPECIFICATION



SR-867 SPECIFICATION



SR-843



SR-842 SPECIFICATION



SR-852 SPECIFICATION
Size: 3800x2200x980MM



R-830 SPECIFICATION



R-830A



SR-830B SPECIFICATION



SR-830C SPECIFICATION Size: 1900X1900X780MM

Seating	
Seating Capacity	4 Persons
Lounge	1 Persons
Dimensions/Weight/ Container load	
Product dimension	1900mmx1900mmx780mm
Packing dimension	2000mmx2000mmx880mm
Weight - Dry/Filled	295KG/ 1169KG
Water capacity	231 US Gallon/ 874Liters
Container load	5pcs/20ft; 12pcs - 15pcs/40ft
Shell	
Shell colors	White color
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump (two-speed)	
Air blower	1*2.0HP
Electrics	
Control system	N/A
Max power consumption:	
Heater (America Balboa brand)	Prow smart control 1950Watt & 5A in 230V 50Hz
Underwater lighting	Wireless Plug & Play 10amps 1.5kW/220-240VAC 50 LED
Jet Configurations	
Jets total (pc)	20
Massage jets (pc)	20
Air jets (pc)	N/A
Filtration	
Filter	front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	1
Air regulator(pc)	2
Suctions (pc)	2
Gate valves (pc)	2
Drain valve (pc)	1
Headrest pillows(pc)	3
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
PVC Skirt	Brown/ Grey / Black color

Designed To Raise Your Standard Of Living

Quality of life. It's the sum of your health and your happiness. It's the measure of the time you spend with your family... and know that at the end of the day, the best place on earth is right here in the home you've created. That's what owning an exclusive line of hot tubs. Transporting you that last bit of the way home. Wherever you are, you can always find a quiet, relaxing place to soak in the hot tub, or the soul-soothing relaxation once the kids are tucked in bed. Discover for yourself the many therapeutic benefits of our incomparable spa designs.



SR-839 SPECIFICATION Size: 1600X1600X850MM

Seating	
Seating Capacity	4 Persons
Lounge	0 Persons
Dimensions/Weight/ Container load	
Product dimension	1600mmx1600mmx850mm
Packing dimension	1700mmx1700mmx950mm
Weight - Dry/Filled	210KG/ 910KG
Water capacity	185 US Gallon/ 700Liters
Container load	7pcs/20ft; 14pcs/40ft
Shell	
Shell colors	10 color available
Shell material	Aristech Acrylic
Pumps (UL,CE, KC approved)	
Jet pump 1	2.0HP
Jet pump 2	2.0HP
Circulation pump	0.53HP
Air blower	1HP
Electrics	
Control system	America Balboa control
Max power consumption	6735 Watt 30 Aa in 220V 50Hz
Heater (America Balboa brand)	3KW
Underwater lighting	5*LED
Jet Configurations	
Jets total (pc)	51
Massage jets (pc)	40
Air jets (pc)	11
Filtration	
Filter	front access filters
Effective Filtration Area	100 sq. ft.
Ozone Generator	50mg/h
Features	
Water diverter(pc)	1
Air regulator(pc)	2
Suctions (pc)	3
Gate valves (pc)	6
Drain valve (pc)	1
Handheld showers (pc)	2
Support frame	#304 Stainless steel
Overflow outlet (pc)	1
Skirt	Brown/ Gray / Black color



HANDCRAFTED INDIVIDUALLY DESIGNED PRECISION ENGINEERED





SR-822 SPECIFICATION



SR-837 SPECIFICATION



SR-807 SPECIFICATION



SR-828A SPECIFICATION
Size: 1900x1900x900MM



R-828 SPECIFICATION



SR-841 SPECIFICATION



SR-873 SPECIFICATION
Size: 2500x2200x850MM

ROUND SPA

Discover the soothing benefits of hydrotherapy, massage and aromatherapy; with spas designed to relieve stress and strains, and replenish energy.



SR-831SPECIFICATION
Size: 2450X2450X980MM

Seating

Seating Capacity
Lounges 6 Persons
0 persons

Dimensions/Weight/ Container load

Product dimension 2450mmx2450mmx980mm
Packing dimension 2500mmx1000mmx2600mm
Weight - Dry/Filled 445KG/2005KG
Water capacity 412US Gallon/1560Liters
Container load 6pc/ 20ft; 8pc/40ft

Shell

Shell colors 10 color available
Shell material Aristech Acrylic

Pumps (UL,CE, KC approved)

Jet pump 1 2.0HP
Jet pump 2 2.0HP
Circulation pump 0.53HP
Air blower 1.5HP

Electrics

Control system America Balboa control
Max power consumption: 7300Watt 33.1A in 220V 50Hz
Heater (America Balboa brand) 3KW/220-240VAC
Underwater lighting 5"LED

Jet Configurations

Total Stainless steel Jets (pc) 48
Massage jets (pc) 32
Air jets (pc) 16

Filtration

Filter Built-in filters
Effective Filtration Area 100 sq. ft.
Ozone Generator 50mg/h

Features

Water diverter (pc) 2
Air regulator (pc) 4
Suctions (pc) 3
Gate valves (pc) 6
Drain valve (pc) 1
Headrest pillows (pc) 6
Support frame #304 Stainless steel
Overflow outlet (pc) 1
Skirt Brown/ Grey / Black color**Putting Spa Therapy In A Whold
New Light**

Acquaviva Spas really shine at night with our underwater lighting. At the touch of a button, flood your tub with colour and create the perfect atmosphere for a night-time soak.

**SR-865**SPECIFICATION
Size: 2350X2350X950MM

Seating

Seating Capacity 6 Persons

Dimensions/Weight/ Container load

Product dimension 2350mm*2350mm*950mm
Packing dimension 2400mmx1000mmx2500mm
Weight - Dry/Filled 380KG/ 1750KG
Water capacity 362US Gallon/ 1370Liters
Container load 6pc/ 20ft; 8pc/40ft

Shell

Shell colors 10 color available
Shell material Aristech Acrylic

Pumps (UL,CE, KC approved)

Jet pump 1 2.0HP
Jet pump 2 2.0HP
Circulation pump 0.53HP
Air blower N/A

Electrics

Control system America Balboa control
Max power consumption: 7300Watt 33.1A in 220V 50Hz
Heater (America Balboa brand) 3KW/220-240VAC
Underwater lighting 5" LED

Jet Configurations

Jets total (pc) 43
Massage jets (pc) 43
Air jets (pc) N/A

Filtration

Filter Top mount filters
Effective Filtration Area 100 sq. ft.
Ozone Generator 50mg/h

Features

Water diverter (pc) 2
Air regulator (pc) 1
Suctions (pc) 4
Gate valves (pc) 6
Drain valve (pc) 1pc
Headrest pillows (pc) 6pc
Support frame #304 Stainless steel
Overflow outlet (pc) 1pc
Fountain jets with LED 3pc
Skirt Brown/ Grey / Black color**SR-865**SPECIFICATION
Size: 2350X2350X950MM

Seating

Seating Capacity 6 Persons

Dimensions/Weight/ Container load

Product dimension 2350mm*2350mm*950mm
Packing dimension 2400mmx1000mmx2500mm
Weight - Dry/Filled 380KG/ 1750KG
Water capacity 362US Gallon/ 1370Liters
Container load 6pc/ 20ft; 8pc/40ft

Shell

Shell colors 10 color available
Shell material Aristech Acrylic

Pumps (UL,CE, KC approved)

Jet pump 1 2.0HP
Jet pump 2 2.0HP
Circulation pump 0.53HP
Air blower N/A

Electrics

Control system America Balboa control
Max power consumption: 7300Watt 33.1A in 220V 50Hz
Heater (America Balboa brand) 3KW/220-240VAC
Underwater lighting 5" LED

Jet Configurations

Jets total (pc) 43
Massage jets (pc) 43
Air jets (pc) N/A

Filtration

Filter Top mount filters
Effective Filtration Area 100 sq. ft.
Ozone Generator 50mg/h

Features

Water diverter (pc) 2
Air regulator (pc) 1
Suctions (pc) 4
Gate valves (pc) 6
Drain valve (pc) 1pc
Headrest pillows (pc) 6pc
Support frame #304 Stainless steel
Overflow outlet (pc) 1pc
Fountain jets with LED 3pc
Skirt Brown/ Grey / Black color



SR-818 SPECIFICATION
Size: 2200x2200x830MM



SR-875 SPECIFICATION
Size: 200*900MM



SR-840 SPECIFICATION
Size: 1800x1800x750MM

Seating	5 Persons	5 Person	0 Persons
Seating Capacity	0	0 Persons	2 Persons
Lounge			
Dimensions/Weight/ Container load			
Product dimensions	2200mmx2200mmx830mm	€200*900mm	1800mmx1800mmx750mm
Product dimension	2300mmx2300mmx930mm	2100*2100*1000mm	1900mmx1900mmx850mm
Weight - Dry/Filled	310KG/ 1411KG	350KG/ 1556KG	255KG / 1095 KG
Water capacity	275 US Gallon / 1041Liters	319 US Gallon / 1206 Liters	198 gallon / 750 liter
Container load	5pcs/20ft; 10pcs/40ft	8pcs/ 20ft; 10pcs/ 40ft	6 pcs / 20ft; 18 pics / 40 ft
Shell			
Shell colors	10 color available	10 color available	10 color available
Shell material	Aristech Acrylic	Aristech Acrylic	Aristech Acrylic
Pumps (UL,CE, KC approved)			
Jet pump 1	3.0HP	2.0HP	2.0HP
Jet pump 2	--	2.0HP	--
Jet pump 3	--	--	--
Circulation pump	0.53HP	0.53HP	0.53HP
Air blower	1.0HP	N/A	1.0HP
Electrics			
Control system	America Balboa control	America Balboa control	America Balboa control
Max power consumption	6340Watt 28.8A in 220V 50Hz	7200Watt 32.7A in 220V 50Hz	5435Watt 24.7A in 220V 50Hz
Heater (America Balboa brand)	3KW/220-240VAC	3KW/220-240VAC	3KW/220-240VAC
Underwater lighting	50 LED	30 LED	50 LED
Jet Configurations			
PVC Jets total (pc)	29	34	28
Jets total (pc)	21	4	14
Massage jets (pc)	8	30	14
Air jets (pc)		N/A	
Filtration			
Filter	Built-in filters	Front access filters	"Built-in filters"
Effective Filtration Area	130 sq. ft.	100 sq. ft.	100 sq. ft.
Ozone Generator	50mg/h	50mg/h	50mg/h
Features			
Water temperature (pc)	--	1	no
Air regulator (pc)	--	1	no
Suctions (pc)	3	2	1
Pop-up speaker	--	1	
water level LED light	--	17	
Gate valves (pc)	6	6	2
Drain valve (pc)	1	1	no
Headrest pillows (pc)	4	3	#304 Stainless steel
Step (pc)			
Overflow outlet (pc)	1	1	#304 Stainless steel
Skirt	Brown/ Grey / Black color	Brown/ Grey / Black color	Brown/ Grey / Black color



THERAPY FOR BODY AND SOUL

Ergonomically designed using therapeutic principles, each spa fits the contours of your body providing proper lumbar support and maximizing comfort while the jets melt away stress and muscle strain.

Submersion in warm water causes blood vessels to dilate, increasing blood flow to body tissues.



The space of rosin is caring

Select natural sauna and fine Finnish pine

Devoted to the research and production of sauna bath

Every place is the most intimate care



Fashion sauna room



Model | SRI1601 (SR-160)
SIZE | 390 × 163.5 × 220 cm
Dry Sauna Room (Left)
Shower Room (Middle)
Steam/Hammam (Right)
Material : Hemlock, Aluminium Frame, 3MM thickness Tempered Glass, Acrylic Tray, PVC Floor



Model | SRI1602 (SR-167)
SIZE | 265 × 168 × 220 cm
Dry Sauna Room (Left)
Steam/Hammam (Right)
4.5KW stove & 3KW Steamer



Model | SRI1603 (SR-166) (L,R)
SIZE | 240 × 160 × 220 cm
Shower Room (Left)
Steam/Hammam (Right)
3KW Steamer



Model | SRI1604 (SR-165) (L,R)
SIZE | 245 × 160 × 220 cm
Dry Sauna Room (Left)
Shower Room (Right)
4.5KW stove



Model | SRI1605 (SR-163) (L,R)
SIZE | 140 × 160 × 220 cm
Steam/Hammam
3KW Steamer



Model | SRI1606 (SR-161) (L,R)
SIZE | 140 × 160 × 220 cm
Dry Sauna Room
4.5KW stove

Sauna can activate blood circulation, relax every part of the muscle. It could reach the aim of alleviating fatigue, staying energetic &

Sauna bath can be a treatment for rheumatism, arthritis, lumbago, asthma, bronchitis, neurosis etc.

Promote a lot of sweat
Accelerate blood circulation
Effectively remove toxins from the body
Clear stubborn magazines and dead skin cells on your skin
Thoroughly clean the skin
Let your skin generate natural nutrients
Reduce the appearance of fine lines arising from the accumulation of years
Make your skin more moist and shiny



Model | SF18001 (SR1810)
SIZE | 1000 × 180 × 220 cm
Dry Sauna Room (Left)
Shower Room (Middle)
Steam/Hammam Room (Right)
Material : Aluminium Frame, 3MM thickness Tempered Glass, PVC Floor



Model | SF18002 (SR1811)
SIZE | 278 × 180 × 220 cm
Dry Sauna Room (Left)
Shower Room (Right)
3KW stove



Model | SF18002-1 (SR1012)
SIZE | 228 × 180 × 220 cm
Shower Room (Left)
Steam/Hammam (Right)
3KW Steamer

Culture stone series

Simple and generous shape, solid wood with natural vein.....

Smooth surface with harmonious color.



SR1D001

Size:1850X1850X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 3-persons

Standard Configuration

- ① 6KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•Sauna bench subject to the main picture



SR1D002

Size:2000X1600X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 3-persons

Standard Configuration

- ① 6KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•Sauna bench subject to the main picture



SR1N005 (SR110)

Size:1500X1500X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 3persons

Standard Configuration

- ① 6KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•Sauna bench subject to the main picture

Far infrared sauna room series



SR1N002(L/R) (SR106)

Size:1550X1100X1950MM

Material: Hemlock wood

Capacity: 3persons

Power: 2100W

Standard Configuration

- ① Far infrared heating tube
- ② LED light
- ③ Bluetooth control system
- ④ Speaker(s)
- ⑤ CD player

•Sauna bench subject to the main picture



SR1N001

Size:900X900X1900MM

Material: Hemlock wood

Capacity: 1person

Power: 1100W

Standard Configuration

- ① Far infrared heating tube

•Sauna bench subject to the main picture



SR1P004

Size:1550X680X1180X1950MM

Material: Hemlock wood

Capacity: 3-persons

Power: 2700W

Standard Configuration

- ① In-glass heating board
- ② LED light
- ③ Bluetooth control system
- ④ Speaker(s)

•Sauna bench subject to the main picture



SR1P008 (SR117)

Size:1000X800X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 1person

Standard Configuration

- ① 3KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•Sauna bench subject to the main picture



SR1K003

Size:2000X1200X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 4persons

Standard Configuration

- ① 3KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•The addition of shower suite



SR1P009 (SR118)

Size:2500X2000X2000MM

Material: Finland pine wood / Hemlock wood

Capacity: 7persons

Standard Configuration

- ① 4.5KW sauna stove
- ② Safety lamp
- ③ Wooden bucket & wooden scoop
- ④ Sand-timer
- ⑤ Thermometer
- ⑥ Natural sauna stone

•Sauna bench subject to the main picture



SR1N003(L/R) (SR109)

Size:1250X1100X2100MM

Material: Hemlock wood

Capacity: 2persons

Power: 1750W

Standard Configuration

- ① Far infrared heating tube

•Sauna bench subject to the main picture



SR1P002(L/R) (SR103)

Size:1550X1100X1900MM

Material: Hemlock wood

Capacity: 3persons

Power: 2100W

Standard Configuration

- ① Far infrared heating tube

•Sauna bench subject to the main picture



SR1N008 (SR108)

Size:1550X1550X2000MM

Material: Hemlock wood

Capacity: 3-persons

Power: 2100W

Standard Configuration

- ① Far infrared heating tube
- ② LED light
- ③ Bluetooth control system
- ④ Speaker(s)

•Sauna bench subject to the main picture

Gazebo

We design our Wooden Gazebo to include a variety of features that make your spa experience more relaxing and enjoyable. Enjoy less stress, more spa features and unsurpassed quality from the world's best-selling hot tub brand.



Spa SR10001(SR881)
Gazebo SR10001(SR881)



SR10D007-2(SR882)
SIZE: 3000X3000X2850MM



SR10D003(SR883)
SIZE: 3000X3000X2900MM



SR10D011(SR891)
SIZE: 3000X3000X2850MM



SR10D003(SR881)
SIZE: 3300X3300X2850MM



SR10D004(SR888)
SIZE: 3000X3000X2800MM



SR10D005(SR896)
SIZE: 3000X3000X2805MM



SR10D001(SR883)
SIZE: 3000X3000X2900MM



SR10D002(SR889)
SIZE: 3300X3300X3000MM



SR10D001-2(SR885)
SIZE: 3000X3000X2850MM



SR10D006(SR893)
SIZE: 3000X3000X2800MM



SR10D007-1(SR892)
SIZE: 3000X3000X2800MM



SR10D007(SR892)
SIZE: 3000X3000X2800MM

Spa SR10001(SR881)
Gazebo SR10001(SR881)

ISO 9001 CE ROHS Compliant GFCI ETL UL CSA

SPA Control & Color Choices



Skirt Colors




Note: H11 H12 H13 available for SR805A SR806A SR808A/B SR832A/B only; H14 H15 H16 available for SR801A/B SR812A/B SR808C SR820A only;

Acrylic Colors



Cover Color Available



Luxury SPA/POOL Optional Equipments

Opt. 1
(Nordic Cover)



Opt. 2
(Hydraulic cover lifter)



Opt.3
(Steps)
Hemlock wood type
Wood plastic type



Opt. 4
(Insulation on SPA body)



Opt. 5
(Insulation for pipe)



Opt. 6
(Insulation for Skirt)



Opt. 7
(Water-Level LED Light & controller)



Opt. 8
(Waterfall with LED Light)



Opt. 9
(FRP base)



Opt. 10
(Change ABS jets into Stainless steel jets)



Opt. 11
(Aromatherapy Box)



Opt. 12
(Fountain with LED Light)



Opt. 13
(Auto Water in/drain System)



Opt. 14
(Safety Rail for Walk in/out)



Opt. 15
(Ipod Box)
Match for Balboa control
Play music with your mobile phone



Opt. 16
(Waterproof TV)
17" TV/37" TV



Opt. 17
(DVD Player)
waterproof
(Include MP3/ MP4/ USB/ Aux input)



Opt. 18
(Pop-up Speaker)
Oval Shape Type
Round Shape Type



Opt. 19
(Update Balboa with Internet Control)
You can control your spa at anywhere
of the world with BP series



Opt. 20
(Sand filter)



Opt. 21
(Heat pump)



New Items, Coming up soon...